
RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information (Section (Sectio

Application Serial Number: 09/724,964

Source: OIPE

Date Processed by STIC: /0/1/200/

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker



OIPE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/724,964

DATE: 10/01/2001 TIME: 15:12:49

Input Set : A:\CIBT-P01-080 SeqList.txt Output Set: N:\CRF3\10012001\1724964.raw

Does Not Comply Corrected Diskette Needed

- 3 <110> APPLICANT: Crompton, T.
- 5 <120> TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR REGULATING LYMPHOCYTE ACTIVITY
- 7 <130> FILE REFERENCE: CIBT-P01-080
- 9 <140> CURRENT APPLICATION NUMBER: 09/724,964
- 0 > 10 <141> CURRENT FILING DATE: 2001-09-13
 - 12 <150> PRIOR APPLICATION NUMBER: 60/168,112
 - 13 <151> PRIOR FILING DATE: 1999-11-30
 - 15 <160> NUMBER OF SEQ ID NOS: 28
 - 17 <170> SOFTWARE: PatentIn Ver. 2.1

ERRORED SEQUENCES

```
166 <210> SEQ ID NO: 6
```

- 167 <211> LENGTH: 1425
- 168 <212> TYPE: DNA
- 169 <213> ORGANISM: Homo sapiens
- 171 <400> SEQUENCE: 6
- 172 atgctgctgc tggcgagatg tctgctgcta gtcctcgtct cctcgctgct ggtatgctcg 60
- 173 ggactggcgt gcggaccggg cagggggttc gggaagagga ggcaccccaa aaagctgacc 120
- 174 cctttagcct acaagcagtt tatccccaat gtggccgaga agaccctagg cgccagcgga 180
- 175 aggtatgaag ggaagatete cagaaactee gagegattta aggaacteae ceccaattae 240
- 176 aaccccgaca tcatatttaa ggatgaagaa aacaccggag cggacaggct gatgactcag 300
- 177 aggtgtaagg acaagttgaa cgctttggcc atctcggtga tgaaccagtg gccaggagtg 360
- 178 aaactgcggg tgaccgaggg ctgggacgaa gatggccacc actcagagga gtctctgcac 420
- 179 tacgagggcc gcgcagtgga catcaccacg tctgaccgcg accgcagcaa gtacggcatg 480
- 180 ctggcccgcc tggcggtgga ggccggcttc gactgggtgt actacgagtc caaggcacat 540
- 181 atccactgct cggtgaaagc agagaactcg gtggcggcca aatcgggagg ctgcttcccg 600
- 182 ggctcggcca cggtgcacct ggagcagggc ggcaccaagc tggtgaagga cctgagcccc 660
- 183 ggggaccgcg tgctggcggc ggacgaccag ggccggctgc tctacagcga cttcctcact 720
- 184 ttcctggacc gcgacgacgg cgccaagaag gtcttctacg tgatcgagac gcgggagccg 780
- 185 cgcgagcgcc tgctgctcac cgccgcgcac ctgctctttg tggcgccgca caacgactcg 840
- 186 gccaccgggg agcccgaggc gtcctcgggc tcggggccgc cttccggggg cgcactgggg 900
- 187 cctcgggcgc tgttcgccag ccgcgtgcgc ccgggccagc gcgtgtacgt ggtggccgag 960
- 188 cgtgacgggg accgccggct cctgcccgcc gctgtgcaca gcgtgaccct aagcgaggag 1020
- 189 gccgcgggcg cctacgcgcc gctcacggcc cagggcacca ttctcatcaa ccgggtgctg 1080
- 190 gcctcgtgct acgcggtcat cgaggagcac agctgggcgc accgggcctt cgcgcccttc 1140
- 191 cgcctggcgc acgcgctcct ggctgcactg gcgcccgcgc gcacggaccg cggcggggac 1200
- 192 ageggeggeg gggacegegg gggeggegge ggeagagtag eeetaacege teeaggtget 1260
- 193 geogacgete egggtgeggg ggecaeegeg ggeatecaet ggtaetegea getgetetae 1320
- 194 caaataggca cctggctcct ggacagcgag gccctgcacc cgctgggcat ggcggtcaag 1380 E--> 195 tccagcnnn gccggggggc cgggggggg gcgcgggagg gggcc
- 725 <210> SEQ ID NO: 15
 - 726 <211> LENGTH: 475
 - 727 <212> TYPE: PRT
 - 728 <213> ORGANISM: Homo sapiens
 - 730 <400> SEQUENCE: 15

-) see item 9 on Eva Sunnay bleet



DATE: 10/01/2001

TIME: 15:12:49

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/724,964

Input Set : A:\CIBT-P01-080 SeqList.txt
Output Set: N:\CRF3\10012001\1724964.raw

731 Met Leu Leu Ala Arg Cys Leu Leu Val Leu Val Ser Ser Leu 10 734 Leu Val Cys Ser Gly Leu Ala Cys Gly Pro Gly Arg Gly Phe Gly Lys 20 25 737 Arg Arg His Pro Lys Lys Leu Thr Pro Leu Ala Tyr Lys Gln Phe Ile 35 40 740 Pro Asn Val Ala Glu Lys Thr Leu Gly Ala Ser Gly Arg Tyr Glu Gly 743 Lys Ile Ser Arg Asn Ser Glu Arg Phe Lys Glu Leu Thr Pro Asn Tyr 70 746 Asn Pro Asp Ile Ile Phe Lys Asp Glu Glu Asn Thr Gly Ala Asp Arg 90 749 Leu Met Thr Gln Arg Cys Lys Asp Lys Leu Asn Ala Leu Ala Ile Ser 105 752 Val Met Asn Gln Trp Pro Gly Val Lys Leu Arg Val Thr Glu Gly Trp . 120 115 755 Asp Glu Asp Gly His His Ser Glu Glu Ser Leu His Tyr Glu Gly Arg 135 140 758 Ala Val Asp Ile Thr Thr Ser Asp Arg Asp Arg Ser Lys Tyr Gly Met 150 155 761 Leu Ala Arg Leu Ala Val Glu Ala Gly Phe Asp Trp Val Tyr Tyr Glu 165 170 764 Ser Lys Ala His Ile His Cys Ser Val Lys Ala Glu Asn Ser Val Ala 185 767 Ala Lys Ser Gly Gly Cys Phe Pro Gly Ser Ala Thr Val His Leu Glu 195 200 770 Gln Gly Gly Thr Lys Leu Val Lys Asp Leu Ser Pro Gly Asp Arg Val 215 773 Leu Ala Ala Asp Asp Gln Gly Arg Leu Leu Tyr Ser Asp Phe Leu Thr 230 235 776 Phe Leu Asp Arg Asp Asp Gly Ala Lys Lys Val Phe Tyr Val Ile Glu 245 250 779 Thr Arg Glu Pro Arg Glu Arg Leu Leu Thr Ala Ala His Leu Leu 260 265 782 Phe Val Ala Pro His Asn Asp Ser Ala Thr Gly Glu Pro Glu Ala Ser 280 785 Ser Gly Ser Gly Pro Pro Ser Gly Gly Ala Leu Gly Pro Arg Ala Leu 788 Phe Ala Ser Arg Val Arg Pro Gly Gln Arg Val Tyr Val Val Ala Glu 310 315 791 Arg Asp Gly Asp Arg Arg Leu Leu Pro Ala Ala Val His Ser Val Thr 325 330 794 Leu Ser Glu Glu Ala Ala Gly Ala Tyr Ala Pro Leu Thr Ala Gln Gly -340 345 797 Thr Ile Leu Ile Asn Arg Val Leu Ala Ser Cys Tyr Ala Val Ile Glu 355 360 365 800 Glu His Ser Trp Ala His Arg Ala Phe Ala Pro Phe Arg Leu Ala His 375 803 Ala Leu Leu Ala Ala Leu Ala Pro Ala Arg Thr Asp Arg Gly Gly Asp



RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/724,964

DATE: 10/01/2001 TIME: 15:12:50

Input Set : A:\CIBT-P01-080 SeqList.txt
Output Set: N:\CRF3\10012001\I724964.raw

	804	385					390					395					400		
•	806	Ser	Gly	Gly	Gly	Asp	Arg	Gly	Gly	Gly	Gly	Gly	Arg	Val	Ala	Leu	Thr		
	807					405					410					415			
	809	Ala	Pro	Gly	Ala	Ala	Asp	Ala	Pro	Gly	Ala	Gly	Ala	Thr	Ala	Gly	Ile		
	810				420					425					430				
	812	His	Trp	Tyr	Ser	Gln	Leu	Leu	Tyr	Gln	Ile	Gly	Thr	Trp	Leu	Leu	Asp		^
	813			435					440					445) ,	9
E>	815	Ser	Glu	Ala	Leu	His	Pro	Leu	Gly	Met	Ala	Val	Lys	Ser	Ser	Xaa	Ser	, ti	m 1
	816		450					455					460				/		
	818	Arg	Gly	Ala	Gly	Gly	Gly	Ala	Arg	Glu	Gly	Ala							
	819	465					470					475							



Use of n and/or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.



VERIFICATION SUMMARY

PATENT APPLICATION: US/09/724,964

DATE: 10/01/2001 TIME: 15:12:51

Input Set : A:\CIBT-P01-080 SeqList.txt
Output Set: N:\CRF3\10012001\1724964.raw

L:10~M:271~C: Current Filing Date differs, Replaced Current Filing Date L:195 M:340 E: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:6 L:815 M:340 E: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:15 L:1448 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1454 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1463 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1466 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1472 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1484 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1487 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 L:1727 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1730 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1733 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1736 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1739 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1742 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1745 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1748 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1751 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1754 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 L:1757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22